



# SoundSentry™

## SECURE MEETING ROOM SOLUTIONS

### USE CASES

SoundSentry™ is fully scalable to accommodate different room sizes holding varying classification level meetings, using the same meeting room equipment

HLT37653 Rev. 1.3




# SECURE MEETING ROOM

Manufactured under a secure TAA/BAA compliant supply chain





Meeting rooms are equipped for seamless collaboration but the display and video bar vulnerabilities turn those peripherals into proxies for data extraction, malware injection, and eavesdropping.



# SECURE MEETING ROOM WIRING DIAGRAM

	Product	Model	Qty
1	Remote Control	<a href="#">WR80PC-4</a>	1
2	Dock Extender Tx	<a href="#">FKCE11UCT-N</a>	1
3	Dock Extender Rx	<a href="#">FKCE11PH60R-N</a>	1
4	Video Isolator	<a href="#">FV11H-M</a>	1
5	Videobar Diode	<a href="#">FS11USB2</a>	1
6	RS232 Switch	<a href="#">FFX8RS-NN</a>	1
7	Smart Power Port	<a href="#">PDUJ01C</a>	2

- RS232
- Video
- USB (HID)
- USB 2 (DPP)
- HDBaseT
- LAN
- Power




# SECURE HUDDLE ROOM

Manufactured under a secure TAA/BAA compliant supply chain




Huddle rooms are designed for quick collaboration, but their simple tech (display, camera, and guest USB-C port) presents significant security risks for malware, data extraction and eavesdropping.



# SECURE HUDDLE ROOM WIRING DIAGRAM

Product	Model	Qty
1 Docking Station	<a href="#">UK12PHC-N</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 RS232 Switch	<a href="#">FFX8RS-NN</a>	1
4 Video Isolator	<a href="#">FV11H-M</a>	1
5 Videobar Diode	<a href="#">FS11USB2</a>	1
6 Smart Power Port	<a href="#">PDU101C</a>	2

- RS232
- Video
- USB (HID)
- USB 2 (DPP)
- HDBaseT
- LAN
- Power




# SECURE BASIC EXECUTIVE OFFICES

Manufactured under  
a secure TAA/BAA  
compliant supply chain




Executive-office security focuses on blocking guest devices. However, the executive's own tech (multiple monitors, a webcam, and a headset) introduces vulnerabilities for data breaches and eavesdropping.



# SECURE BASIC EXECUTIVE OFFICE WIRING DIAGRAM


Product	Model	Qty
1 Docking Station	<a href="#">UK12PHC-N</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 Audio Diode	<a href="#">FA10BC-4</a>	1
4 Video Isolator	<a href="#">FV11H-M</a>	1
5 Video Splitter	<a href="#">PV12PH-N</a>	1
6 Smart Power Port	<a href="#">PDU1Q1C</a>	1
7 Dock Extender Rx	<a href="#">FKCE11PH60R-N</a>	1
8 Dock Extender Tx	<a href="#">FKCE11PH60T-N</a>	1





# SECURE STANDARD EXECUTIVE OFFICES WIRING DIAGRAM

Product	Model	Qty
1 Secure Ultra MM KVM Switch	<a href="#">SX42PHU-4X</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 RS232 Switch	<a href="#">FFX8RS-NN</a>	2
4 Docking Station	<a href="#">UK12PHC-N</a>	1
5 USB-C KVM DH Cable	<a href="#">DCBLN12CCL</a>	1
6 Extender Tx	<a href="#">FKCE11PH60T-N</a>	1
7 Extender Rx	<a href="#">FKCE11PH60R-N</a>	1
8 Videobar Diode	<a href="#">FS11USB2</a>	1
9 Video Isolator	<a href="#">FV11H-M</a>	1
10 Smart Power Port	<a href="#">PDUJ01C</a>	2
11 Audio Diode	<a href="#">FA10BC-4</a>	1




- RS232
- Video
- USB (HID)
- USB 2 (DPP)
- HDBaseT
- LAN
- Power

# SECURE SENIOR EXECUTIVE OFFICE

Manufactured under a secure TAA/BAA compliant supply chain




Blending a private workspace with a meeting room, the executive suite's design creates vulnerabilities. The executive works on private displays while guest content is presented, creating a high-value target for attackers. The guest connection, displays, and video bar are potential attack vectors for malicious code injection, data leakage from the executive's private screens, and eavesdropping on confidential conversations.



# SECURE SENIOR EXECUTIVE OFFICE WIRING DIAGRAM

Product	Model	Qty
1 Secure Mini-Matrix KVM	<a href="#">SX42PHU-4</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 RS232 Switch	<a href="#">FFX8RS-NN</a>	2
4 Docking Station	<a href="#">UK12PHC-N</a>	1
5 USB-C KVM SH Cable	<a href="#">SCBLN11CCL</a>	1
6 Extender Tx	<a href="#">FKCE11PH60T-N</a>	1
7 Extender Rx	<a href="#">FKCE11PH60R-N</a>	1
8 Videobar Diode	<a href="#">FS11USB2</a>	1
9 Video Isolator	<a href="#">FV11H-M</a>	1
10 Smart Power Port	<a href="#">PDUJ01C</a>	2
11 Video Streamer	MVS11H-M	1






# SECURE BOARD ROOM WIRING DIAGRAM

Product	Model	Qty
1 Secure Ultra MM KVM Switch	<a href="#">SX42PHU-4X</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 RS232 Switch	<a href="#">FFX8RS-NN</a>	2
4 USB-C KVM DH Cable	<a href="#">DCBLN12CCL</a>	1
5 Docking Station	<a href="#">UK12PHC-N</a>	1
6 Extender Tx	<a href="#">FKCE11PH60T-N</a>	1
7 Extender Rx	<a href="#">FKCE11PH60R-N</a>	1
8 Videobar Diode	<a href="#">FS11USB2</a>	1
9 Video Isolator	<a href="#">FV11H-M</a>	1
10 Smart Power Port	<a href="#">PDUJ01C</a>	3

- RS232
- Video
- USB (HID)
- USB 2 (DPP)
- HDBaseT
- LAN
- Power




# SECURE CONFERENCING SYSTEM W/ INTERNAL CLIENT

Manufactured under a secure TAA/BAA compliant supply chain




Modern meeting rooms rely on commercial conferencing systems that include an embedded computing client – and this client is often the weakest point in the entire environment. With active internet access and unrestricted connectivity to displays and multiple host devices, it becomes a high-value target for attackers.



# SECURE CONFERENCE ROOM SYSTEM W/ INTERNAL CLIENT WIRING DIAGRAM

Product	Model	Qty
1 Secure Mini-matrix KVM Switch	<a href="#">SX42PHU-4</a>	1
2 Remote Control	<a href="#">WR80PC-4</a>	1
3 RS232 Switch	<a href="#">FFX8RS-NN</a>	1
4 Video Isolator	<a href="#">FV11PH-M</a>	1
5 Videobar Diode	<a href="#">FS11USB2</a>	1
6 Smart Power Port	<a href="#">PDUIQ1C</a>	1

- Ethernet
- RS232
- Video
- USB (HID)
- USB 2 (DPP)
- Power



# USE CASE PRODUCT OVERVIEW

PN	Model	Description	Meeting Room	Huddle Room	Basic Executive Office	Standard Executive Office	Senior Executive Office	Boardroom	Videobar w/ Internal Client
CPN35428	FFX8RS-NN	<b>RS232 switcher 8 ports</b>	1	1		2	2	2	1
CPN35322	FS11USB2	<b>Videobar Diode USB 2.0 mountable</b>	1	1		1	1	1	1
CPN35435	PDUI01C	<b>Managed power port</b>	2	2	1	2	2	3	1
CPN33179	SX42PHU-4X	<b>Secure meeting room Ultra Mini Matrix, 4:2</b>				1		1	
CPN37155	FKCE11UC60-N	<b>USB-C extended dock Tx + Rx</b>	1		1	1	1	1	
CPN31361	WR80PC-4	<b>8P programable RGB remote control</b>	1	1	1		1	1	1
CPN19263	SX42PHU-4	<b>Secure mini matrix</b>					1		1
CPN30833	UK12PHC-N	<b>USB-C docking station</b>		1	1	1	1	1	
CPN24279	DCBLN12CCL	<b>Cable bump dual head</b>				1	1	1	
CPN20663	FV11H-M	<b>Secure 1-port video isolator HDMI</b>		1	1	1	1	1	1
CPN22569	FA10BC-4	<b>AD USB to analog with mic. and cam.</b>			1	1	1		
CPN28270	PV12PH-N	<b>2-port video splitter</b>			1				



**Thank You**  
For more info:



[www.highseclabs.com](http://www.highseclabs.com) | [info@highseclabs.com](mailto:info@highseclabs.com)

